

09/967,008

L Number	Hits	Search Text	DB	Time stamp
1	176	(monitor\$4 or check\$4) same checksum same (replac\$4 or substitud\$4) same (storage\$1 or address\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 13:08
2	16	((monitor\$4 or check\$4) same checksum same (replac\$4 or substitud\$4) same (storage\$1 or address\$4)) same correct\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 13:13
3	24	vollrath-joerg.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 13:36
4	3221	address\$4 with fuse	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 13:38
5	45351	(replac\$4 or substitu\$4) with (address\$4 or storage\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 13:39
6	6775	(row\$1 or column\$1) adj1 (decode or vector\$1 or checksum)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 13:41
7	2240	(row\$1 or column\$1) adj1 (replac\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 13:41
8	140	(address\$4 with fuse) and ((replac\$4 or substitu\$4) with (address\$4 or storage\$1)) and ((row\$1 or column\$1) adj1 (decode or vector\$1 or checksum))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 13:41
9	81	((address\$4 with fuse) and ((replac\$4 or substitu\$4) with (address\$4 or storage\$1)) and ((row\$1 or column\$1) adj1 (decode or vector\$1 or checksum))) and ((row\$1 or column\$1) adj1 (replac\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 13:42
10	36	((address\$4 with fuse) and ((replac\$4 or substitu\$4) with (address\$4 or storage\$1)) and ((row\$1 or column\$1) adj1 (decode or vector\$1 or checksum))) and ((row\$1 or column\$1) adj1 (replac\$6))) and compress\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 13:42
11	1	vector adj1 generator and (((address\$4 with fuse) and ((replac\$4 or substitu\$4) with (address\$4 or storage\$1)) and ((row\$1 or column\$1) adj1 (decode or vector\$1 or checksum))) and ((row\$1 or column\$1) adj1 (replac\$6))) and compress\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 14:00
12	1	(71\$/\$.ccls.) and (((address\$4 with fuse) and ((replac\$4 or substitu\$4) with (address\$4 or storage\$1)) and ((row\$1 or column\$1) adj1 (decode or vector\$1 or checksum))) and ((row\$1 or column\$1) adj1 (replac\$6))) and compress\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 13:58

13	21	(365/\$.ccls.) and (((address\$4 with fuse) and ((replac\$4 or substitu\$4) with (address\$4 or storage\$1)) and ((row\$1 or column\$1) adj1 (decode or vector\$1 or checksum))) and ((row\$1 or column\$1) adj1 (replac\$6))) and compress\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 13:44
14	123	((71/\$.ccls.) or (365/\$.ccls.)) and ((address\$4 with fuse) and ((replac\$4 or substitu\$4) with (address\$4 or storage\$1)) and ((row\$1 or column\$1) adj1 (decode or vector\$1 or checksum)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 14:09
15	1	((71/\$.ccls.) or (365/\$.ccls.)) and ((address\$4 with fuse) and ((replac\$4 or substitu\$4) with (address\$4 or storage\$1)) and ((row\$1 or column\$1) adj1 (decode or vector\$1 or checksum)))) and ((monitor\$4 or check\$4) same checksum same (replac\$4 or substitud\$4) same (storage\$1 or address\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 13:59
16	1	vector adj1 generator and (((71/\$.ccls.) or (365/\$.ccls.)) and ((address\$4 with fuse) and ((replac\$4 or substitu\$4) with (address\$4 or storage\$1)) and ((row\$1 or column\$1) adj1 (decode or vector\$1 or checksum))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 14:22
17	101	((71/\$.ccls.) or (365/\$.ccls.)) and ((address\$4 with fuse) and ((replac\$4 or substitu\$4) with (address\$4 or storage\$1)) and ((row\$1 or column\$1) adj1 (decode or vector\$1 or checksum)))) and ((memory or fuse) adj1 array)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 14:16
18	1	((71/\$.ccls.) or (365/\$.ccls.)) and ((address\$4 with fuse) and ((replac\$4 or substitu\$4) with (address\$4 or storage\$1)) and ((row\$1 or column\$1) adj1 (decode or vector\$1 or checksum)))) and ((memory or fuse) adj1 array)) and ((row or column) adj1 checksum)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 14:16
19	199833	((71/\$.ccls.) or (365/\$.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 14:09
20	7	((71/\$.ccls.) or (365/\$.ccls.))) and ((row or column) adj1 checksum)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 14:09
22	2	((row or column) adj1 checksum)) and ((memory or fuse) adj1 array)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 14:20
21	21	((row or column) adj1 checksum)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 14:18
23	315	checksum and ((memory or fuse) adj1 array)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 14:21
24	32	checksum same ((memory or fuse) adj1 array)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 14:21

26	0	vector adj1 generator and ((checksum same ((memory or fuse) adj1 array)) not ((row or column) adj1 checksum))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 14:22
25	30	(checksum same ((memory or fuse) adj1 array)) not ((row or column) adj1 checksum)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 14:29
27	8	(("5367620") or ("5644578") or ("5844850") or ("6035432")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 14:30